

en:gate®



TECHNICAL DATA SHEET

LED CANDLE D

LED CANDLE D

The LED Candle D blends seamlessly into any environment. With color temperature of 2700K, it creates a perfect and friendly ambience for many applications.

This lamp has a lifetime of 25,000 hours depending on working conditions. It offers an alternative over a conventional incandescent candle.

HIGHLIGHTS

- Up to 80% reduction in power consumption
- Average rated lifespan of 25,000 hours
- 100,000 times of switching cycle
- Energy efficiency class: A
- Low maintenance costs by reducing re-lamp frequency
- Environmental friendly – free of mercury and hazardous materials
- Starting time < 0.5 seconds
- Instant-On Light < 1 second
- CE, RoHS certified

FEATURES

- Superior color rendering with 80 CRI
- Will not fade colors, avoids inventory spoilage
- Operating temperature: -20°C - +40°C
- 5 W version available
- Lumen maintenance factor: L70
- 2 years of warranty¹

APPLICATIONS

- Home, Office, Commercial²



For further information scan the QR Code or visit www.en-gate.com/CANDLE_D

TECHNICAL DETAILS

LED CANDLE D

Power Max.	Replace	CCT	Light Output Min.	CRI	Beam Angle	Voltage	Power Factor	Energy consumption	Art.-No.
5W	30W Incandescent	2.700K	323lm	80	150°	220-240V	> 0.85	5.5 kWh/1000h	TA-CAN-CC-72UU1C

