

en:gate®



TECHNICAL DATA SHEET

LED G9

LED G9

The LED G9 is an energy efficient alternative to halogen lamps. It comes in 3 watt models and offers larger than 300° beam angle.

LED G9 is small in size but gives out respectable amount of light. It is ideal for applications like chandelier, desk lamps and under cabinet lighting. G9 base type designed for easy installation and the lack of mercury and hazardous production materials makes it a safe and eco-friendly lighting solution.

HIGHLIGHTS

- High reduction in power consumption¹
- Average rated lifespan of 15,000 hours
- Energy efficiency class: A+
- Low maintenance costs by reducing re-lamp frequency
- Environmental friendly – free of mercury and hazardous materials
- Instant start < 1 second

FEATURES

- Superior color rendering with 80 CRI
- Will not fade colors, avoids inventory spoilage
- Operating temperature: -20°C - +40°C
- Lumen maintenance factor: L70
- Low heat generation, short amortization period
- CE certified
- 2 years of warranty²

APPLICATION

- Home, Office, retail³



For further information scan the QR Code
or visit www.en-gate.com/G9

TECHNICAL DETAILS

LED G9

Power Max.	Replace Incandescent	CCT	Light Output Min.	CRI	Beam Angle	Voltage	Energy consumption	Base	Art.-No.
3W	20W	2700K	200lm	80	>280°	230V	3kWh/1000h	G9	T2-G91-AD-4DN76C
3W	20W	3000K	200lm	80	>280°	230V	3kWh/1000h	G9	T2-G91-AD-4DN86C
3W	20W	4000K	200lm	80	>280°	230V	3kWh/1000h	G9	T2-G91-AD-4DN96C

